

**Hubungan Tingkat Pengetahuan Tentang Tanda Bahaya Kehamilan
Dengan Kepatuhan Antenatal Care Ibu Hamil Trimester Dua Dan Tiga
Di Puskesmas Jatimulya**

**Oleh :
Atikah Rizky Amalia
NIM : 201905015**

ABSTRAK

Pendahuluan: Antenatal Care adalah perawatan secara teratur pada ibu hamil dengan tujuan mengawasi munculnya penyakit atau keadaan buruk yang akan terjadi Selama kehamilan hingga persalinan. *Antenatal care* juga merupakan peranan perawat untuk memberi edukasi kepada ibu hamil, suami, keluarga, dan kerabat tentang kehamilan, persalinan sampai pengasuhan anak, Faktor yang dapat mempengaruhi frekuensi kunjungan ibu yaitu pengetahuan tentang tanda bahaya kehamilan, umur, paritas kehamilan, Riwayat penyakit, pekerjaan, dan jarak tempuh ke fasilitas Kesehatan.

Tujuan: Tujuan penelitian ini adalah untuk mengetahui adakah Hubungan Tingkat Pengetahuan Tentang Tanda Bahaya Kehamilan Dengan Kepatuhan *Antenatal Care* Ibu Hamil Trimester Dua Dan Tiga Di Puskesmas Jatimulya.

Metode: Penelitian ini menggunakan metode kuantitatif, Desain penelitian yang digunakan peneliti adalah desain *cross sectional* dimana hasil desain penelitian dilakukan pengukuran dan pengamatan secara bersamaan, Instrumen yang digunakan peneliti berupa kuesioner dalam bentuk pertanyaan di dalam kertas, Variabel yang digunakan untuk kuesioner adalah tingkat pengetahuan tentang tanda bahaya kehamilan dan kepatuhan *antenatal care*, Pada saat melakukan analisis penelitian menggunakan SPSS 25.0 Uji chi square.

Hasil: Pengetahuan tentang tanda bahaya kehamilan berpengaruh untuk kepatuhan *antenatal care* pada ibu hamil trimester dua dan tiga, yang ditunjukkan dengan nilai p -value 0,000 ($<0,05$).

Kesimpulan: Terdapat hubungan tingkat pengetahuan tentang tanda bahaya kehamilan dengan kepatuhan *antenatal care* pada ibu hamil trimester dua dan tiga.

Kata kunci: kehamilan, trimester, tanda bahaya kehamilan, ANC

ABSTRACT

Introduction: Antenatal Care is regular care for pregnant women with the aim of supervising the emergence of diseases or adverse conditions that will occur during pregnancy until delivery. Antenatal care is also the role of nurses to provide education to pregnant women, husbands, families and relatives about pregnancy, childbirth and child care. , and distance to health facilities.

Purpose: The purpose of this study was to determine whether there is a relationship between the level of knowledge about danger signs of pregnancy and adherence to antenatal care for pregnant women in the second and third trimesters at the Jatimulya Health Center.

Methods: This study uses quantitative methods, the research design used by researchers is a cross-sectional design where the results of the research design are measured and observed simultaneously, the instrument used by researchers is a questionnaire in the form of questions on paper, the variable used for the questionnaire is the level of knowledge about danger signs of pregnancy and antenatal care adherence, when conducting research analysis using the SPSS 25.0 Chi square test.

Results: Knowledge of danger signs in pregnancy has an effect on antenatal care adherence in second and third trimester pregnant women, as indicated by a p-value of 0.000 (<0.05).

Conclusion: There is a relationship between the level of knowledge about danger signs of pregnancy and adherence to antenatal care in pregnant women in the second and third trimesters.

Keywords: pregnancy, trimester, danger signs of pregnancy, ANC