

ABSTRAK

**HUBUNGAN DUKUNGAN KELUARGA DENGAN KEPATUHAN
MINUM OBAT PADA PASIEN TUBERKULOSIS DI RUMAH
SAKIT SWASTA BEKASI TIMUR**

Nova Novianti^{1*}, Ns. Latriyanti, S.Kep., M.Kep.²

*Email : vianti.nova11@gmail.com

Pendahuluan : Tuberkulosis adalah suatu penyakit menular yang disebabkan oleh kuman *Mycobacterium tuberculosis*. Berdasarkan data World Health Organization (WHO) pada tahun 2017 terdapat 6,3 juta kasus Tuberkulosis yang di laporkan dan hal tersebut meningkat dibandingkan tahun 2015 sebesar 6,1 juta kasus dengan prevalensi pada dewasa sebesar 90%. Angka kematian TB di dunia pada tahun 2016 mencapai 1,3 juta kasus.

Tujuan Penelitian: Untuk mengetahui hubungan dukungan Keluarga dengan Kepatuhan Minum Obat Pada Pasien Tuberkulosis Di Rumah Sakit Swasta Bekasi Timur.

Metode: bentuk penelitian menggunakan metode "*cross-sectional*" dengan teknik pengambilan sample *purposive sampling* dengan rumus slovin melibatkan 67 responden. Data dianalisis dengan uji stastitik *Chi Square* dengan melihat *p value* 0 cell table 2x2 expected 5,97. Pengumpulan data menggunakan instrument penelitian kuesioner. Analisa data terdiri dari analisa univariate dan bivariate.

Hasil : Dari penelitian ini menunjukkan bahwa ada hubungan dukungan keluarga dengan kepatuhan minum obat di rumah sakit swasta bekasi timur dengan *p value* 0,040 yang berarti $p < \alpha 0,05$

Kesimpulan : Berdasarkan penelitian ini dalam 3 bulan terakhir di rumah sakit swasta bekasi timur hubungan dukungan keluarga dapat meningkatkan dukungan dan motivasi yang baik untuk kepatuhan minum obat tuberkulosis.

Kata Kunci : *Tuberculosis (TBC)*, Dukungan keluarga, kepatuhan minum obat.

ABSTRACT

RELATIONSHIP OF FAMILY SUPPORT WITH SUCCESSFUL DRUG COMPLIANCE IN TUBERCULOSIS PATIENTS IN BEKASI TIMUR PRIVATE HOSPITAL

Nova Novianti^{1*}, Ns. Lastryanti, S.Kep., M.Kep²

*Email : vianti.nova11@gmail.com

Introduction : Tuberculosis is an infectious disease caused by the bacterium *Mycobacterium tuberculosis*. Based on data from the World Health Organization (WHO) in 2017 there were 6.3 million cases of Tuberculosis reported and this increased compared to 2015 of 6.1 million cases with a prevalence in adults of 90%. The TB death rate in the world in 2016 reached 1.3 million cases.

Research Objectives: To determine the relationship between family support and successful adherence to medication in tuberculosis patients at the East Bekasi Private Hospital.

Methods: the form of research uses the "cross-sectional" method, design with purposive sampling technique with Slovin formula involving 67 respondents. The data were analyzed by Chi Square statistical test by looking p value 0 cell table 2x2 expected 5,97. Collecting data using a questionnaire research instrument. Data analysis consisted of univariate and bivariate analysis.

Result: From this research that there is a relationship between parental support and medication adherence at a private hospital in east bekasi with p value 0,040 this is $p < \alpha$ 0,05

Conclusion: Based on this research in the last 3 month at a private hospital in Bekasi timur. Family support relationships can increase support and good motivation for adherence to taking tuberculosis medication.

Keywords: Tuberculosis (TBC), family support, medication adherence

