

<b>Nama Mahasiswa</b>	<b>: Anggi Zulaeha</b>
<b>NIM</b>	<b>: 201801005</b>
<b>Program Studi</b>	<b>: Diploma III Keperawatan</b>
<b>Judul Karya Tulis Ilmiah</b>	<b>: Asuhan Keperawatan Pada Pasien Tn. F Dengan Isolasi Sosial Di Yayasan Rehabilitasi Galuh Bekasi Timur Pada Masa Pandemi Covid-19</b>
<b>Halaman</b>	<b>: xiv + 102 + 4 lampiran</b>
<b>Pembimbing</b>	<b>: Renta Sianturi</b>

## **ABSTRAK**

**Latar Belakang :** Skizofrenia adalah gangguan mental yang parah, mempengaruhi 20 juta orang di seluruh dunia1. Pengalaman psikotik yang umum termasuk halusinasi (mendengar, melihat atau merasakan hal-hal yang tidak ada) dan delusi (kepercayaan atau kecurigaan yang salah yang dipegang teguh bahkan ketika ada bukti sebaliknya). Isolasi social adalah keadaan dimana seseorang mengalami tidak mampu berinteraksi dengan orang lain, yang ditandai dengan suka menyendirikan diri, afek datar, merasa ditolak. Isolasi social biasanya disebabkan karena penolakan dimasa lalu. Prevalensi isolasi social di Yayasan Rehabilitas Galuh Bekasi Timur didapatkan dari 44 ODGJ, 5 orang diantaranya mengalami isolasi social. Dampak isolasi social jika tidak ditangani dapat menimbulkan gejala negative yaitu halusinasi.

**Tujuan Umum :** Laporan kasus ini adalah untuk memperoleh gambaran nyata melakukan asuhan keperawatan pada klien dengan isolasi social melalui pendekatan proses keperawatan secara komprehensif.

**Metode Penulisan** : Laporan ini menggunakan metode deskriptif yaitu dengan menggunakan fakta-fakta sesuai dengan data-data yang didapat.

**Hasil** : Setelah dilakukan tindakan strategi keperawatan 1 sampai 4. Kemampuan klien meningkat yaitu klien dapat mengetahui keuntungan berinteraksi dengan orang lain, kerugian tidak berinteraksi dengan orang lain, mengetahui cara berkenalan, dapat berinteraksi dengan orang lain dan dapat mengikuti kegiatan kelompok sampai dengan selesai. Tanda dan gejala pada klien sudah berkurang.

**Kesimpulan dan Saran** : Asuhan keperawatan yang diberikan pada klien dalam bentuk Strategi pelaksanaan yang dilakukan sebanyak empat kali dan cukup efisien dalam menangani tanda gejala isolasi social. Namun akan lebih efektif jika asuhan keperawatan diberikan dalam jangka waktu yang lebih lama.

**Kata Kunci** : Asuhan keperawatan, Skizofrenia, Isolasi social

**Daftar Pustaka** : 19 (2013-2021)

<b>Student Name</b>	<b>: Anggi Zulaeha</b>
<b>Student ID Number</b>	<b>: 201801005</b>
<b>Study Program</b>	<b>: Nursing Diploma III</b>
<b>The Title of Scientific Paper</b>	<b>: Nursing Care For Patients Mr. F With Social Isolation At The Galuh Foundation, East Bekasi During the Covid-19 Pandemic</b>
<b>Pages</b>	<b>: xiv + 102 + 4 attachment</b>
<b>Supervisor</b>	<b>: Renta Sianturi</b>

## **ABSTRACT**

**Background** : Schizophrenia is a severe mental disorder, affecting 20 million people worldwide. Psychosis, including schizophrenia, is characterized by distortions in thinking, perception, emotions language feelings of self, and behavior. Common psychotic experiences include hallucinations (hearing, seeing, or feeling things that aren't there) and delusions (false beliefs or suspicions held firmly even when there is evidence to the contrary). Social isolation is a condition in which a person experiences an inability to interact with other people, which is characteri by being aloof, flat affect, feeling rejected. Social isolation is usually caused by past rejection. The prevalence of social isolation at the galuh rehabilitation foundation east Bekasi was obtained from 44 ODGJ, 5 of whom experienced social isolation. The impact of social isolation if non treated can cause negative symptoms, namely hallucination.

**General Purpose:** This case report is to get a real oicture of caring for clients with social isolation through a comprehensive approach.

**Writing Method :** This report this report uses a descriptive method, namely by using the facts in accordance with the data obtained.

**Results** : After nursing strategy actions 1 to 4. The client's ability increases, namely the client can know the advantages of interacting with outhter people, knowing how to get acquainte in group activities until the end. The signs and symptoms have decreased.

**Conclusion and Suggestion** : Care provided to clients in the from of an implementation strategy thet was carried out four times and was quite efficient in deadling with social symptoms, however, it will be more effective if the care is given for a lounger period of time

**Keyword** : Nursing care, schizophrenia, social isolation.

**Bibliography** : 19 (2013-2021)