

Nama : Aulia Yoli Saputri
NIM : 201801008
Program Studi : Diploma 3 Keperawatan
Judul Karya Tulis Ilmiah : Asuhan Keperawatan pada Ny. R Post Partum *Sectio Caesarea* dengan Indikasi *Cephalopelvic Disproportion* (CPD) di Ruang. E Rumah Sakit Swasta Bekasi di Masa Pandemi COVID-19
Halaman : xiv+89 halaman+1 tabel
Pembimbing : Edita Astuti Panjaitan

ABSTRAK

Latar Belakang : *Cephalopelvic Disproportion* (CPD) merupakan kondisi dimana terjadi ketidaksesuaian antara panggul dengan kepala janin. *Sectio Caesarea* menjadi pilihan proses persalinan ibu dengan CPD jika tidak memungkinkan untuk melahirkan spontan. Namun tidak sedikit pula ibu post partum SC mengalami komplikasi saat persalinan seperti perdarahan saat pembedahan. Di Indoensia kasus SC sudah melebihi batas kisaran yang hanya 5-15%, di Indonesia kasus SC mencapai 17,6%.

Tujuan Umum : Laporan kasus ini adalah untuk memberikan gambaran nyata asuhan keperawatan pada pasien dengan *sectio caesarea* atas indikasi CPD melalui pendekatan proses keperawatan secara komprehensif.

Metode Penulisan : Dalam penyusunan kasus ini menggunakan metode deskriptif yaitu dengan mengungkapkan fakta-fakta sesuai dengan data-data yang didapat.

Hasil : Hasil dari pengkajian didapatkan lima diagnosa yaitu ketidaknyamanan pasca partum berhubungan dengan payudara bengkak; kontraksi uterus; luka SC, resiko perdarahan berhubungan dengan komplikasi pascapartum, resiko infeksi berhubungan dengan tindakan invasif (luka SC), menyusui tidak efektif berhubungan dengan payudara bengkak; tidak rawat gabung, gangguan mobilitas fisik berhubungan dengan postpartum SC. Diagnosa keperawatan utama yang ditemukan adalah ketidaknyamanan pascapartum berhubungan dengan payudara bengkak; kontraksi uterus; luka SC. Intervensi prioritas adalah kaji kualitas nyeri secara komprehensif, meliputi : *provocation* (P), *Quality* (Q), *Region* (R), *Severity Scale* (S), *Timing* (T), ajarkan dan anjurkan tehnik relaksasi napas dalam, berikan relaksasi nonfarmakologis terapi musik dan relaksasi napas dalam, dan berikan obat sesuai dengan program medis.

Kesimpulan dan Saran : pada pasien dengan post partum SC yang perlu diperhatikan adalah masalah keperawatan ketidaknyamanan pascapartum berhubungan dengan payudara bengkak; kontraksi uterus; luka sc, dan resiko perdarahan berhubungan dengan komplikasi pascapartum terutama pada 24 jam pertama pascapartum. Dan diharapkan kerja sama tim yang baik antar tenaga kesehatan agar didapatkan hasil yang optimal bagi pasien.

Keyword : Asuhan Keperawatan Maternitas, *Cephalopelvic Disproportion* (CPD), Postpartum *Sectio Cesarea*

Daftar Pustaka : 19 Buku dari tahun 2011-2021, 14 Jurnal dari tahun 2011-2021)

Name : Aulia Yoli Saputri
Student Number : 201801008
Study Program : Diploma III - Nursing
The Tittle of Scientific Paper : nursing care for Mrs. R postpartum sectio caesarea with indication of CPD in E. room of the hospital in Bekasi during COVID-19 pandemic.
Page : xiv+89 pages+1 attachments
Supervisor : Edita Astuti Panjaitan

ABSTRACT

Background : CPD is condition wherever there's is a discrepancy between the pelvis and the fetal head. Sectio caesarea is the choice the process of giving birth for mothers with CPD if it is not possible to give birth spontaneously. But not a few postpartum sectio caesarea mothers experience complications during the process such as bleeding during surgery. In Indonesia alone, sectio cases have exceeded the range limit of only 5 to 15 percent, sectio caesarea's cases in Indonesia have reached 17,6 percent.

Main objective : The purpose of this scientific writing to obtain a real picture of nursing care for patient with sectio caesarea with indication CPD through a comprehensive nursing process.

Writing Method : The method of this scientific writing is descriptive method, which describes a situation objectively and then presented in a narrative from as the writer is observing the patient and collecting data up to evaluation.

Results : The results of the study obtained five diagnoses, namely postpartum discomfort associated with swollen breasts; uterine contractions; SC wounds, bleeding risk related to postpartum complications, infection risk related to invasive procedures (SC wounds), ineffective breastfeeding related to swollen breasts; not hospitalization, impaired physical mobility related postpartum SC. The main nursing diagnoses found were postpartum discomfort related to swollen breasts; uterine contractions; SC wound. The priority intervention is to assess the quality of pain comprehensively, including : provocation (P), Quality (Q), Region (R), Severity Scale (S), Timing (T), teach and recommend deep breathing relaxation techniques, provide non-pharmacological relaxation music therapy and deep relaxation, and give medication according to the medical program.

Conclusions and recommendations : in patients with post-partum SC that need to be considered are postpartum discomfort nursing problems related to swollen breasts; uterine contractions; sc wounds, and the risk of bleeding related to postpartum complications, especially in the first 24 hours postpartum. And it is hoped that good teamwork between health workers is expected to obtain optimal results for patients.

Keyword : maternity nursing care, cephalopelvic disproportion, postpartum sectio caesarea

Bibliography : 19 books from 2011-2021, 14 journals from 2011-2021