

Nama Mahasiswa: Mega Ayu Lestari
NIM: 201701070
Program Studi: Diploma III Keperawatan
Judul Karya Tulis: Asuhan Keperawatan pada Ny. S *Pasca Partum Sectio Caesarea* Dengan Indikasi *Oligohidramnion* dan Ketuban Pecah Dini (KPD) di Ruang Euphorbia Rumah Sakit Mitra Keluarga Bekasi Timur
Halaman: xiv + 106 + 1 tabel + 3 lampiran
Pembimbing: Lina Herida Pinem

ABSTRAK

Latar Belakang:

Komplikasi postpartum yaitu: perdarahan, luka kandung kemih, kemungkinan ruptur uteri spontan pada kehamilan mendatang. Sasaran peningkatan derajat kesehatan ibu dalam Millenium Development Goals (MDGs) 2015 adalah 102/100.000 kesehatan ibu menurunkan AKI untuk meningkatkan kesejahteraan penduduk di segala usia, masih tingginya AKI yaitu 359/100.000. Indikasi tindakan SC salah satunya ketuban pecah dini (KPD). Peran perawat dalam mencegah dan menangani komplikasi pasca persalinan, yaitu sebagai *care giver*, edukator, dan kolaborator.

Tujuan Umum:

Tujuan laporan kasus ini untuk memperoleh gambaran nyata melakukan asuhan keperawatan pada pasien dengan *pasca partum sectio caesarea* dengan indikasi *Oligohidramnion* dan Ketuban Pecah Dini (KPD) melalui pendekatan proses keperawatan secara komprehensif.

Metode Penulisan:

Dalam penyusunan laporan kasus ini menggunakan metode deskriptif, naratif, melalui studi kasus, studi kepustakaan, dan studi dokumentasi yaitu dengan mengungkapkan fakta-fakta sesuai dengan data-data yang didapat pada saat penulis melakukan proses keperawatan.

Hasil:

Hasil dari pengkajian didapatkan tujuh diagnosa keperawatan yaitu nyeri akut, ketidakefektifan pemberian ASI, bounding attachment, gangguan mobilitas fisik, risiko perdarahan, risiko infeksi, risiko gangguan psikologis: depresi. Intervensi pada diagnosa prioritas nyeri akut adalah kaji nyeri pasien secara komprehensif, observe tanda-tanda vital, observasi adanya petunjuk nonverbal, ajarkan teknik non farmakologis (relaksasi nafas dalam), berikan obat Torasic 3 x 30 mg, obat Tramal sup 3 x 100 mg (k/p), obat Zaldiar 3x1 tab.

Kesimpulan dan Saran:

Asuhan keperawatan pada pasien *pasca partum sectio caesarea* dengan indikasi *Oligohidramnion* dan Ketuban Pecah Dini (KPD) perlu memperhatikan masalah keperawatan yaitu nyeri akut.

Keyword: Asuhan Keperawatan *Pasca partum sectio caesarea* Ketuban Pecah Dini (KPD), dan *Oligohidramnion*.

Daftar Pustaka: 24 (2010-2019)

Name of Student: Mega Ayu Lestari
Student Number: 201701070
Study Program: Diploma of Nursing
Title of Writing: Nursing Care in Ny. S *Pasca Partum Sectio Caesarea* with Indications of *Oligohydramnios* and Premature rupture of membranes (KPD) in the Euphorbia Room of Mitra Keluarga Hospital, East Bekasi.
Pages: xiv + 106 + 1 tabel + 3 attachments
Supervisor: Lina Herida Pinem

ABSTRACT

Background:

Postpartum complications, namely: bleeding, bladder sores, possible spontaneous uterine rupture in future pregnancies. The target of increasing maternal health status in the 2015 Millennium Development Goals (MDGs) is 102/100.000, maternal health is to reduce MMR to improve the welfare of the population at all ages, the MMR is still high at 359/100.000. One indication of SC action is premature rupture of membranes (KPD). The role of nurses in preventing and managing postpartum complications, namely as care giver, educator, and collaborator.

Main Objective:

The purpose of this case report is to provide a real picture of nursing care for patients with *pasca partum* with *caesarea sectio* for indications of *Oligohydramnios* and Premature rupture of membranes (KPD) through a comprehensive nursing process approach.

Method in writing:

In preparing this case report using the descriptive-narrative method, through case studies, literature studies and documentation studies, namely by disclosing facts in accordance with the data obtained at the time the writer made the nursing process.

Results:

The results of the study found seven nursing diagnoses, namely acute pain, ineffectiveness of breastfeeding, bounding attachment, impaired physical mobility, risk of bleeding, risk of infection, risk of psychological disorders: depression. Interventions in the priority diagnosis of acute pain are a comprehensive assessment of the patient's pain, observation of vital signs, observation of nonverbal cues, teaching non-pharmacological techniques (deep breathing relaxation), giving Torasic drugs 3 x 30 mg, Tramal medicine soup 3 x 100 mg (k / p), Zaldiar drug 3x1 tab.

Conclusion and suggestion:

Nursing care for *pascapartum caesarea* patients for indications of *Oligohydramnios* and Premature rupture of membranes (KPD) needs to pay attention to nursing problems, namely acute pain.

Keyword: Nursing care post partum *caesarea sectio* Premature rupture of membranes (KPD) and *Oligohydramnions*

Bibliography: 24 (2010-2019)