

analysis lipstick

anonymous marking enabled

Submission date: 12-Apr-2023 02:18PM (UTC+1000)

Submission ID: 2062247891

File name: ANALYSIS_OF_RHODAMINE_B_IN_LIPSTICK_-jurnal.pdf (1.91M)

Word count: 5452

Character count: 28684



Mitra
Keluarga



PROCEEDINGS

**The International Allied Health Student Conference (IAHSC) 2022
2nd Edition**

“Health Innovation for Strengthening Global Health”



Indonesia, 14-15 September 2022

 www.stikesmitrakeluarga.ac.id

 info@stikesmitrakeluarga.ac.id

 **STIKes Mitra Keluarga**

 **+62 858-1362-5143**

Mitra Press

PROCEEDINGS

THE INTERNATIONAL ALLIED HEALTH STUDENT CONFERENCE 2022

2nd Edition

“Health Innovation for Strengthening Global Health”

SEPTEMBER 14-15, 2022

BEKASI, INDONESIA

ISBN : 978-623-98083-0-3

Editor : Josephine Diony N

Noor Andryan Ilsan

Reza Anindita

Ria Amelia

Noerfitri

Editia Panjaitan

Layouter : Noor Andryan Ilsan

Design Cover : Noor Andryan Ilsan

Publisher :

MITRA PRESS

Jl. Pengasinan Raya No.1

Rawa Semut-Margahayu, Bekasi Timur, Bekasi, Jawa Barat 17113

Phone: (021)88345997, Email: publishing@stikesmitrakeluarga.ac.id

First Publication, September 2021

Copyright@2022 by STIKes Mitra Keluarga.

All rights reserved. No part of this publication maybe reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage and retrieval system, without permission in writing from the publisher.

H. Student Committee

- 1) Miyuki esther K.I.S.H as a Master of ceremony (Department of Nursing 1st grade)
- 2) Fhasya Algina Hawatul Haq as a Master of ceremony (Department of Medical Laboratory Technology 1st grade)
- 3) Syarifah Purbaningrum (Department of Pharmacy 3rd grade)
- 4) Anisa Noviana Herlambang (Department of Nursing 3rd grade)
- 5) As syifa putri zulaicha (Department of Nutrition 3rd grade)
- 6) Syarifah Fauziyah (Department of Pharmacy 1st grade)
- 7) Elda Mariyani (Department of Nursing 3rd grade)
- 8) Salsabila (Department of Medical Laboratory Technology 3rd grade)
- 9) Devy Mirnawaty (Department of Nutrition 1st grade)

Editor : Noor Andryan Ilsan

Layouter : Noor Andryan Ilsan

Design Cover : Anung Ahadi Pradana

Publisher :

MITRA PRESS

Jl. Pengasinan Raya No.1

Rawa Semut-Margahayu, Bekasi Timur, Bekasi, Jawa Barat 17113

Phone: (021)88345997, Email: publishing@stikesmitrakuarga.ac.id

First Publication, September 2021

Copyright© 2021 by STIKes Mitra Keluarga.

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage and retrieval system, without permission in writing from the publisher.

THE 2ND INTERNATIONAL ALLIED HEALTH STUDENT CONFERENCE (IAHSC) 2022

The Presentation includes the results of reviewing articles, original research, community engagement the area of :
Nursing Sciences, Science of Nutrition, Medical Laboratory Technology, Pharmaceutical Sciences



Ir. Budi Gunadi Sadikin, CHFC, CLU
Indonesian Ministry of Health

*to be confirmed

Dr. Is Helianti, M.Sc

Research Center of Applied
Microbiology, BRIN



Dr. Susi Hartati, S.Kp., M.Kep., Sp.Kep.An
Head of STIKes Mitra Keluarga



Agustina Maya, S.Si., Apt.

Senior Manager Business Development
of PT. KALBE FARMA Tbk.



Prof. Dr. Naohiro Hohashi

Division of Family Health Care Nursing, Graduate
School of Health Sciences, Kobe University



Prof. Thierry Pierre Robert Burnouf

College of Biomedical Engineering,
Tapiel Medical University



Prof. Sirichai Adisakwattana

Dept. of Nutrition and Dietetics, Faculty of
Allied Health Sciences, Chulalongkorn University



Prof. Abu Syed Md. Mosaddek

Dept. of Pharmacology, Uttara
Adhunik Medical College, Bangladesh



Prof. Dr. Rero Tutik S. Hariyati, S.Kp., MARS

Dept. of Nursing,
University of Indonesia



Dr. Siti Helmyati, DCN, M.Kes

Dept. of Nutrition,
Gadjah Mada University



Prof. Dr. Zelly Nurachman, M.S

Dept. of Chemistry,
Institut Teknologi Bandung



Retno Martini Widhiyash S, SLM, Biomed, M. Kes

Dept. of Medical Laboratory Technology,
Poltekkes Kemenkes Jakarta



Ns. Yeni Iswari, M.Kep., Sp.Kep.An

Dept. of Nursing,
STIKes Mitra Keluarga



Afrinia Eka Sari, S.TP, M.Si

Dept. of Nutrition,
STIKes Mitra Keluarga



Reza Anindita, M.Si

Dept. of Pharmacy,
STIKes Mitra Keluarga



Maulin Inggiraini, M.Si

Dept. of Medical Laboratory Technology,
STIKes Mitra Keluarga



Important Dates

- Abstract Submission : April 1-August 30, 2022
- Abstract Acceptance Notification : September 1, 2022
- Full Paper Submission : September 1-October 1, 2022
- Oral Video Submission : September 1-13, 2022

Payment Method

Account Name : Yayasan Pendidikan Mitra Keluarga-
STIKes Mitra Keluarga
Account Number : 167-000-1621-662
Bank : Bank Mandiri Cabang Bekasi
Jakasampurna

Registration Fee

External Attendees :
• Early-Bird (until June 30th, 2022)
Audience = Rp 100.000
Oral-Presenter = Rp 200.000
• Normal Price :
Audience = Rp 125.000
Oral-Presenter = Rp 250.000
International Attendees :
Audience = \$ 25
Oral-Presenter = \$ 25

Internal Attendees :
• Early-Bird (until June 30th, 2022)
Audience = Rp 50.000
Oral-Presenter = Rp 150.000
• Normal Price :
Audience = Rp 75.000
Oral-Presenter = Rp 175.000



Wednesday-Thursday
(September 14 & 15th 2022)



Day 1 : 08.00 AM-04.00 PM (GMT+07)
Day 2 : 08.30 AM-04.30 PM (GMT+07)



Virtual Meeting by Zoom



Registration Info

<http://Scievent.stikesmitrakeluarga.ac.id>



DPP PPNI, IAI, PERSAGI



Contact Person

Edita : +62 81362314546
Dede : +62 8128623094



STIKes Mitra Keluarga



<https://linktr.ee/stikesmitrakeluarga>



<https://bit.ly/PMBSTIKESMK>

Proceeding 2nd International Allied Health Student Conference

ANALYSIS OF DRUG CHEMICALS (BKO) DICLOFENAC SODIUM IN RHEUMATIC HERBAL PRODUCTS CIRCULATED IN BEKASI CITY USING UV-VISIBLE SPECTROPHOTOMETRY METHOD	118
Khairunnisa Marwa Zaenudin, Intan Kurnia Putri	
DETERMINATION OF RETINOIC ACID LEVELS IN FACIAL WHITENING CREAM FOR SALE IN BEKASI CITY USING UV-Visible SPECTROPHOTOMETRY	128
Lina Barokah Awalina, Melania Perwitasari, Intan Kurnia Putri, Reza Anindita	
DETERMINATION OF CURCUMIN LEVELS IN TAMARIND TURMERIC HERBAL ON MARKETPLACE X USING UV-VIS SPECTROPHOTOMETRY METHOD	139
Nafilah Irbah, Intan Kurnia Putri	
FORMULATION AND EVALUATION OF TRANSPARENT SOAP EXTRACT OF KENCUR (<i>Kaempferia galanga</i> L.)	150
Beandrade Maya Uzia, Andry Adela Faeza Syahputri	
FORMULATION AND EVALUATION OF NUTMEG LEAF EXTRACT (<i>Myristica fragrans</i> Houtt.) TRANSPARENT SOLID SOAP	158
Beandrade Maya Uzia, Harahap Amalia Fauzyyah	
17 THE EFFECT OF STORAGE TEMPERATURE ON VITAMIN C LEVELS IN PACKED RED GUARANTEE DRINKS SOLD IN BEKASI CITY	167
Putri, Intan Kurnia, Sitorus, Rika Elisabeth	
Formulation and Evaluation of Red Ginger Extract Transparent Solid Soap (<i>Zingiber Officinale</i> Var. <i>Rubrum</i>)	175
Beandrade Maya Uzia, Yordania Baoshanico	
QUALITATIVE SCREENING OF FITOCHEMICAL COMPOUNDS OF PANDAN FRAGILE LEAF EXTRACT (<i>Pandanus amaryllifolius</i> Roxb) GROWING IN DEPOK WITH VARIOUS TYPES OF SOLVENTS AND EXTRACTION METHODS	185
Eka Dian Pangestu, Reza Anindita, Intan Kurnia Putri, Dede Dwi Nathalia	
TEST BIOACTIVITY OF ANTIBACTERIAL COMPOUND EXTRACT OF RED BETLE LEAF (<i>Piper crocatum</i>) AGAINST <i>Propionibacterium acnes</i> BACTERIA.	197
Mita Fatmawati Hidayatullah, Reza Anindita, Maulin Inggraini, Noor Andryan Ilsan	
BIOACTIVITY TEST AGAINST ANTIBACTERIAL COMPOUND LEAF EXTRACT OF SUGAR APPLE LEAVES (<i>Annona Squamosa</i>) AGAINST <i>Staphylococcus aureus</i>	204
Rizkika Aletha, Reza Anindita, Dede Dwi Nathali, Maulin Inggraini	
BIOACTIVITY TEST OF ANTIBACTERIAL COMPOUNDS OF EXTRACTS LEMON PEEL (<i>Citrus limon</i>) AGAINST BACTERIA <i>Staphylococcus aureus</i>	210

Proceeding 2nd International Allied Health Student Conference

Helmi Yolanda, Reza Anindita, Maulin Inggraini, Noor Andryan Ilsan

STUDY OF ETNOPHARMACOLOGICAL UTILIZATION BY THE COMMUNITY
OF TARUMAJAYA REGENCY, NORTH BEKASI.....218

Syahla Haediningrum, Reza Anindita, Intan Kurnia Putri, Maya Uzia Beandrade
EVALUATION OF THE SENSITIVITY RESPONSE OF *Staphylococcus aureus*
ATCC 6538 TO ANTIBIOTICS INHIBITING THE SYNTHESIS OF BACTERIAL
CELL WALLS.....224
Putri Aisyah Qholbitsna Nurron, Reza Anindita, Maulin Inggraini, Noor Andryan Ilsan

EVALUATION OF USE OF ANTIHYPERTENSION DRUG CLASS CALCIUM
CHANNEL BLOCKER (CCB) IN OUTPATIENT HYPERTENSION PATIENTS IN
APRIVATE HOSPITAL IN WEST BEKASI IN 2020.....231
Aldila Putri Cahya Sudrajat, Nofria Rizki Amalia Harahap, Melania Perwitasari,
Nurhasnah

FORMULATION AND EVALUATION OF NANOEMULSION OF BASIL LEAF
EXTRACT (*OCIMUM BASILICUM* L.) WITH TWEEN 80 CONCENTRATION
VARIATIONS240
Redhita Loviya Ayu, Beandrade Maya Uzia, Anindita Reza, Putri Intan Kurnia

MATOA LEAF EXTRACT PHYTOCHEMICAL SCREENING TEST
(*Pometia pinnata* J.R.Forst. & G.Forst.) FROM BEKASI AT DIFFERENT
MACERATION TEMPERATURES252
Farraswati Rosalina Dwi, Nathalia Dede Dwi

FORMULATION AND EVALUATION OF NANOEMULSION FROM PAPAYA
LEAF EXTRACT (*Carica Papaya* L.) WITH VARIATION CONCENTRATION OF
TWEEN 80.....258
Beandrade Maya Uzia, Ubaila Shafira

DETERMINATION OF VITAMIN C LEVELS IN FRESH FRUIT AND
SWEET CRYSTAL Guava (*Psidium guajava* L.) USING UV-VIS
SPECTROPHOTOMETRY METHOD269
Jessica Hermawan, Intan Kurnia Putri

ANALYSIS OF RHODAMINE B IN LIPSTICK SOLD ON MARKETPLACE X
USING TLC METHOD (THIN LAYER CHROMATOGRAPHY).....279
Farah Fadilla, Melania Perwitasari, Intan Kurnia Putri, Maya Uzia Beandrade

ANALYSIS OF RHODAMIN B IN EYESHADOW SOLD ON MARKETPLACE X
USING TLC METHOD (THIN LAYER CHROMATOGRAPHY).....291
Adinda Marsha Salsabila, Melania Perwitasari, Maya Uzia Beandrade, and Reza
Anindita

EXAMINATION OF HYDROQUINONE CONTENT IN FACE WHITENING
CREAM SOLD IN BEKASI CITY WITH UV SPECTROPHOTOMETRY METHOD
.....299
Sarah Najla Prastika Saraswati, Melania Perwitasari

ANALYSIS OF RHODAMIN B IN BLUSH ON SOLD ON MARKETPLACE X USING TLC METHOD (THIN LAYER CHROMATOGRAPHY)

Anggi Nesia Anjani¹, Melania Perwitasari^{2*}, Intan Kurnia Putri², Reza Anindita²

1. Student, S1 Pharmacy, STIKes Mitra Keluarga, Indonesia

2. S1 Pharmacy, STIKes Mitra Keluarga, Indonesia

*Correspondence: Melania Perwitasari | STIKes Mitra Keluarga | Melania.perwitasari@stikesmitrakeluarga.ac.id

Abstract

Introduction: Blush on is a cosmetic to color the cheeks with various colors such as red, pink, to peach. The use of blush on is often misused by adding harmful dyes such as Rhodamine B. The impact of Rhodamine B can cause skin irritation and respiratory tract, and it is a carcinogen if continuously exposed and accumulates in the body; therefore, it is necessary to research the detection of Rhodamine B content in blush on cosmetic sold on Marketplace X. **Method:** Identification of Rhodamine B by optimizing the mobile phase using the Thin Layer Chromatography method. The design of this research is experimental with a purposive sampling technique and samples are taken according to the criteria: Red and Pink color, imported products, solid powder with a price range of Rp. 5000–25,000, does not have a notification number from National Agency of Drug and Food Control. Data analysis using R_f and R_s values obtained.

Results: 12 samples of blush on using TLC method with optimal mobile phase mixture of n- Butanol: Ethanol 96%: Aquadest (20:12:15). Samples that were positive for Rhodamine B produced round/elliptical and tailless stains. Visually it shows a bright pink color, and under UV light, 254 nm and 366 nm fluoresces yellow or orange. Sample A3 has an average R_f value 0.79 and R_s 3.02. Sample A4 average R_f value 0.77 and R_s 2.35. Sample A6 has an average R_f value of 0.68 and an R_s of 2.02. Sample A7 has an average R_f value of 0.76 and an R_s of 2.19. Sample A8 average R_f value of 0.69 with an R_s value of 2.69. Sample A11 has an average R_f value of 0.68 and an R_s of 4.23, and sample A12 has an average R_f value of 0.69 with an average R_s value of 1.73. **Conclusion:** 7 of 12 samples blush on contain Rhodamine B

Key words : Mobile phase, Cosmetic, Rhodamine B, Blush on, Thin Layer Chromatography

INTRODUCTION

Cosmetic products in Indonesia are currently increasing rapidly, due to the many cosmetic products sold in the market and Marketplace at affordable prices ranging from well-known brands to illegal cosmetic products so that many consumers are interested in buying cosmetic products without knowing the ingredients contained in the cosmetics. One of the cosmetics that is often used by women is blush on. Blush on is a cosmetic to color the cheeks in the form of cream, liquid, powder or gel with various colors such as red, pink, to peach. Blush contains high concentrations of dyes and pigments, zinc oxide and titanium dioxide (Andayani et al., 2019). The use of blush is often misused by adding harmful dyes such as Rhodamine B. Rhodamine B is commonly used as a textile dye, dye for cotton, bark, paper, wool, nylon and varnish, in the form of a greenish crystalline powder, in dissolved form at high concentrations, purplish red and at low concentrations bright red (Putri et al., 2017). The side effects of rhodamine B can cause skin irritation, and are carcinogenic if continuously exposed and accumulated in the body (Nanda and Darayani, 2018). According to BPOM Regulation Number 23 of 2019 concerning Technical Requirements for Cosmetic Ingredients, it is stated that Rhodamine B is prohibited from being used for cosmetic additives, so it is necessary to conduct research on the content of Rhodamine B in blush on cosmetic sold in marketplace X using the Thin Layer chromatography method.

METHOD

Research Tools and Materials

The tools used in this study were GF254 silica gel plate, Analytical balance (Ohaus), 100 mL measuring cup (Herma), 100 mL volumetric flask (Pyrex), 25 mL volumetric flask (Pyrex), 10 mL volumetric flask (Pyrex), 10 mL Beaker glass (Iwaki), Oven (Ika), UV Lamp (CAMAG), Chamber (CAMAG), Stirring Rod, Funnel (Pyrex), Volume pipette (Iwaki), Dropper pipette (Pyrex), Micropipette Socorex 2-20 μ l and filter paper, while the materials used included samples of blush sold in Marketplace X, Rhodamine B Standard (Sigma), Methanol p.a (Merck), Aquadest, Ethylacetate p.a (Merck), Ammonia p.a (Merck), n- Butanol p.a (Merck), Hydrochloric acid p.a.

Analysis Qualitativ:

Preparation of standard solution

Dissolve 10 mg of Rhodamine B standard into a 100 mL volumetric flask using methanol p.a, stir homogeneously, then add methanol p.a to the mark of the volumetric flask and stir until homogeneous (100 ppm) (Elfasyari et al., 2020).

Preparation of standard solution

A total 500 mg of the blush sample and put it in a beaker glass then add 4 drops of 4 M HCl and enter 2 mL of methanol p.a then stir homogeneously and then enter it into a 25 mL volumetric flask and homogenize (Elfasyari et al., 2020). Add methanol p.a ad 25 mL, then stir homogeneously and filter the solution using filter paper (Elfasyari et al., 2020).

Mobile Phase Optimization

Optimization is done by spotting a test solution containing Rhodamine B and a comparison solution, namely Rhodamine B standard solution. Optimization is carried out with various types of solution mixture compositions and with various concentrations that have been carried out by previous researchers as follows:

1. Ethyl acetate: Methanol: Ammonia (25:6:1) (Ratnaningsih, 2013)
2. n-Butanol: Ethanol 96%: Aquadest (20:12:15) (Fatimah et al., 2016)
3. Ethyl acetate: Methanol: Ammonia (15:6:3) (Riyanti et al., 2018)
4. Ethyl acetate: Methanol: Ammonia + Aquadest (15:3:3) (Justina and Nandu, 2016)
5. Ethyl acetate: Methanol: Ammonia (15:3:3) (Afriyeni and Utari, 2016)
6. n-Butanol: Ethyl acetate: Ammonia (55:20:25) (Yuniarto and Rosalina, 2019)

Qualitative Analysis of Thin Layer Chromatography Method

1. Activate the TLC plate measuring 4x10 cm by heating it for 30 minutes in the oven at 100°C.
2. The Standard solution and the test solution were spotted as much as 3 l using a micropipette on the plate with a distance of 1 cm from the bottom of the plate and 1 cm for the distance between the stains.
3. Allow the plate containing the sample to dry for a while then insert the plate into a chamber that has been saturated with the selected mobile phase.
4. Remove the plate from the fully eluted vessel.
5. Observations were made on the color of the stain on the plate visually (pink) and under UV lamps of 254 nm and 366 (yellow or orange fluorescence), this indicated the presence of Rhodamine B dye. The R_f value was calculated.
6. The klt plate was sharpened with HCl spray reagent (producing a pink color) (Tjuana et al., 2021).

RESULTS

In this study, apart from looking at the shape and color of the stain on the TLC plate, it also calculated the R_f value, R_f difference, R_s value and homogeneity of the mobile phase solvent mixture. The results of the R_f and R_s values in this study are shown in table 1.

Table 1. Mobile Phase Optimization

(MPI) Mobile Phase Etil asetat : Methanol : Ammoniak (25:6:1) (PI:4,71)				
Sample	R _f value	R _f value difference	Rs (Resolution)	Description
Rhodamine B	0,34	TD	TD	Homogeneous mobile phase
I	0,34	0	3,05	
II	0,34	0	2,05	
III	0,34	0	2,05	
(MPII) Mobile Phase n-Butanol : Ethanol 96 % : Aquadest (20:12:15) (PI:6,22)				
Sample	R _f value	R _f value difference	Rs (Resolution)	Description
Rhodamine B	0,68	TD	TD	Homogeneous mobile phase
I	0,68	0	3,35	
II	0,68	0	5,03	
III	0,69	0,01	3,03	
(MPIII) Mobile Phase Etil asetat : Methanol : Ammoniak (15:6:3) (PI:5,3)				
Sample	R _f value	R _f value difference	Rs (Resolution)	Description
Rhodamine B	0,88	TD	TD	Homogeneous mobile phase
I	0,88	0	3,53	
II	0,88	0	4,03	
III	0,88	0	2,03	
(MPV) Mobile Phase Etil asetat : Methanol : Ammoniak + Aquadest (15:6:3) (PI:5,3)				
Sample	R _f value	R _f value difference	Rs (Resolution)	Description
Rhodamine B				The mobile
I	ND	ND	ND	phase is not homogeneous to form 2 layers
II				
III				
(MPV) Mobile Phase Etil asetat : Methanol : Ammoniak (15:6:3) (PI:5,32)				
Sample	R _f value	R _f value difference	Rs (Resolution)	Description
Rhodamine B	ND	ND	ND	The mobile phase is not homogeneous to form 2 layers
I				
II				
III				
(MPVI) Mobile Phase n-Butanol : Etil asetat : Ammoniak (55:20:25) (PI:5,55)				
Sample	R _f value	R _f value difference	Rs (Resolution)	Description
Rhodamine B				The mobile
I	ND	ND	ND	phase is not homogeneous to form 2 layers
II				
III				
Information				
MP	: Mobile phase	I	: Replication 1	
ND	: Not detected	II	: Replication 2	
PI	: Polarity index	III	: Replication 3	

Table 1 shows the results of the optimization of the mobile phase, the mixture (MPII) of n-Butanol: ethanol 96%: aquadest (20:12:15) best met the criteria, namely a clear and homogeneous solution with an R_f value range of 0.2-0.8 the difference between the R_f values of the sample with R_f Rhodamin B 0.2 and the value of Rs 1.5 compared to other mobile phase mixtures, the FGII mixture has a good R_f value, a good value of Rs or separation and produces a clear and homogeneous solution mixture.

The results of the optimization of the mobile phase in this study showed the shape and color of the stain on the blush sample. The results of the stains seen visually on the TLC plate can be shown in Figure 1.




Figure 1. Spots of mobile phase n-Butanol : Ethanol : Aquadest (20:12:15)

Information : (a) Visual (b) Under UV light 245 nm (c) Under UV light 366 nm (d) Visual after spraying HCl (e) Under UV light 254 nm after spraying HCl (f) Under UV light 366 nm after spraying HCl

B: Standard
I : Replication 1
II : Replication 2
III : Replication 3

Figure 1 shows stain under 366 nm UV light after being sprayed with 4 M HCl based on the shape and color of the stain, a positive result of a blush sample containing Rhodamine B is indicated by a yellow or orange fluorescence stain and a round/elliptical shape of the stain, while the spots are stained with yellow or orange fluorescence. stains on samples that do not contain Rhodamine B are indicated by stains that do not fluoresce yellow or orange.

Table 2. Results of Cosmetic Blush Samples using mobile phase n-butanol : Ethanol 96 % : Aquadest (20:12:15)

Rep. Sample		Visual color	UV 254 nm	UV 366 nm	Rf value	Rf value difference	Average difference Rf	Rs value	Average Rs value	Result
A1	Rhodamine B	Pink	Orange fluorescence	Orange fluorescence	0.70	ND	ND	ND	ND	
	I	Faded pink	non-fluorescent	non-fluorescent	0.73	0.03		4.01		
	II	Faded pink	non-fluorescent	non-fluorescent	0.73	0.03	0.03	3.23	3.75	(-)
	III	Faded pink	non-fluorescent	non-fluorescent	0.73	0.03		4.03		
A2	Rhodamine B	Pink	Orange fluorescence	Orange fluorescence	0.74	ND	ND	ND	ND	
	I	Faded pink	non-fluorescent	non-fluorescent	0.75	0.01		9.03		
	II	Faded pink	non-fluorescent	non-fluorescent	0.75	0.01	0.01	9.03	9.03	(-)
	III	Faded pink	non-fluorescent	non-fluorescent	0.75	0.01		9.03		
A3	Rhodamine B	Pink	Orange fluorescence	Orange fluorescence	0.75	ND	ND	ND	ND	(+)

Proceeding 2nd International Allied Health Student Conference

	I	Pink	Orange fluorescence	Orange fluorescence	0.79	0.04		3.02	
	II	Pink	Orange fluorescence	Orange fluorescence	0.79	0.04	0.04	3.02	3.02
	III	Pink	Orange fluorescence	Orange fluorescence	0.79	0.04		3.02	
A4	Rhodamine B	Pink	Orange fluorescence	Orange fluorescence	0.75	ND	ND	ND	ND
	I	Pink	Orange fluorescence	Orange fluorescence	0.77	0.02		2.01	
	II	Pink	Orange fluorescence	Orange fluorescence	0.77	0.02	0.02	2.01	(+)
	III	Pink	Orange fluorescence	Orange fluorescence	0.78	0.03		3.03	2.35
A5	Rhodamine B	Pink	Orange fluorescence	Orange fluorescence	0.71	ND	ND	ND	ND
	I	Brick red	non- fluorescent	non- fluorescent	0.76	0.04		4.38	
	II	Brick red	non- fluorescent	non- fluorescent	0.78	0.06	0.06	4.04	(-)
	III	Brick red	non- fluorescent	non- fluorescent	0.79	0.08		4.84	4.42
A6	Rhodamine B	Pink	Orange fluorescence	Orange fluorescence	0.66	ND	ND	ND	ND
	I	Pink	Orange fluorescence	Orange fluorescence	0.68	0.02		2.02	
	II	Pink	Orange fluorescence	Orange fluorescence	0.68	0.02	0.02	2.02	(+)
	III	Pink	Orange fluorescence	Orange fluorescence	0.68	0.02		2.02	2.02
2A7	Rhodamine B	Pink	Orange fluorescence	Orange fluorescence	0.75	ND	ND	ND	ND
	I	Pink	Orange fluorescence	Orange fluorescence	0.77	0.02		1.51	
	II	Pink	Orange fluorescence	Orange fluorescence	0.76	0.01	0.01	2.03	(+)
	III	Pink	Orange fluorescence	Orange fluorescence	0.76	0.01		3.03	2.19
A8	Rhodamine B	Pink	Orange fluorescence	Orange fluorescence	0.68	ND	ND	ND	ND
	I	Pink	Orange fluorescence	Orange fluorescence	0.69	0.01		2.02	
	II	Pink	Orange fluorescence	Orange fluorescence	0.69	0.01	0.01	3.02	(+)
	III	Pink	Orange fluorescence	Orange fluorescence	0.69	0.01		3.02	2.69
A9	Rhodamine B	Pink	non- fluorescent	non- fluorescent	0.66	ND	ND	ND	ND
	I	Faded brick red	non- fluorescent	non- fluorescent	0.68	0.02		11.08	
	II	Faded brick red	non- fluorescent	non- fluorescent	0.68	0.02	0.02	10.57	(-)
	III	Faded brick red	non- fluorescent	non- fluorescent	0.69	0.03		9.54	10.4

Proceeding 2nd International Allied Health Student Conference

A10	Rhodamine B	Pink	non-fluorescent	non-fluorescent	0.68	ND	ND	ND	ND
	I	Faded brick red	non-fluorescent	non-fluorescent	0.70	0.02		4.54	
	II	Faded brick red	non-fluorescent	non-fluorescent	0.71	0.03	0.03	4.04	(-)
	III	Faded brick red	non-fluorescent	non-fluorescent	0.71	0.03		5.05	
A11	Rhodamine B	Pink	Orange fluorescence	Orange fluorescence	0.69	ND	ND	ND	ND
	I	Pink	Orange fluorescence	Orange fluorescence	0.68	0.01		5.01	
	II	Pink	Orange fluorescence	Orange fluorescence	0.68	0.01	0.01	2.68	(+)
	III		Orange fluorescence	Orange fluorescence	0.68	0.01		5.01	
A12	Rhodamine B	Pink	Orange fluorescence	Orange fluorescence	0.69	ND	ND	ND	ND
	I	Pink	Orange fluorescence	Orange fluorescence	0.69	0		1.51	
	II	Pink	Orange fluorescence	Orange fluorescence	0.69	0	0	2.03	(+)
	III	Pink	Orange fluorescence	Orange fluorescence	0.69	0		1.68	

Table 2. Shows the results of cosmetic blush samples using a mixture of mobile phase n-Butanol : 95% Ethanol : Aquadest (20:12:15) resulting from 12 samples there are 7 positive samples shown in the sample with the code A3; A4; A6; A7; A8; A11 and A12 with stain criteria visually bright pink and fluoresces yellow or orange under UV light at 254 nm and 366 nm, respectively. The Rf value is in the price range of 0.2-0.8 with the difference in the Rf value between the Rhodamine B standard and the sample of 0.2 and the value of Rs 1.5.

The results of the sample using the mobile phase n-Butanol: Ethanol 96%: Aquadest (20:12:15) in this study showed the shape and color of the stain on the blush sample. The results of the stains seen visually on the TLC plate can be shown in Figure 2.




Figure 2. Visually spot sample

Information : (a) Sample negative (e) Sample A7
 (b) Sample A3 (f) Sample A8
 (c) Sample A4 (g) Sample A11
 (d) Sample A6 (h) Sample A12
 B : Standard II : Replikasi 2
 I : Replication 1 III : Replikasi 3

Figure 2. shows the sample stain visually based on the shape and color, a positive result of a sample containing Rhodamine B is indicated by a bright pink stain and a round/elliptical stain in Figure (b); (c); (d); (e); (f); (g) and (h).

The positive and negative results on samples containing Rhodamine B at 245 nm UV light can be seen in Figure 3.




Figure 3. Sample spot under 254 nm UV light

Information : (a) Sample negative (e) Sample A7
 (b) Sample A3 (f) Sample A8
 (c) Sample A4 (g) Sample A11
 (d) Sample A6 (h) Sample A12
 B : Standard II : Replikasi 2
 I : Replikasi 1 III : Replikasi 3

Figure 3. shows sample stain under 254 nm UV light based on the shape and color of the stain, a positive result of a blush sample containing Rhodamine B is indicated by a yellow or orange fluorescent stain and a round/elliptical shape of the stain (b); (c); (d); (e); (f); (g) and (h), while the stains on the blush sample that did not contain Rhodamine B were shown by stains that did not fluoresce yellow or orange in Figure (a).

The positive and negative results on samples containing Rhodamine B at 366 nm UV light can be seen in Figure 4.




Figure 4. Sample spot under 366 nm UV light

Information : (a) Sample negative (e) Sample A7
 (b) Sample A3 (f) Sample A8
 (c) Sample A4 (g) Sample A11
 (d) Sample A6 (h) Sample A12
 B : Standard II : Replikasi 2
 I : Replikasi 1 III : Replikasi 3

Figure 4. shows stain under 366 nm UV light based on the shape and color of the stain, positive results of samples containing Rhodamine B are indicated by yellow or orange fluorescent stains and round/elliptical stains in Figure (b); (c); (d); (e); (f); (g) and (h).

DISCUSSION

Identification of Rhodamine B dye in cosmetic blush on sold in Marketplace X can be done using the TLC (Thin Layer Chromatography) test method, the TLC method is a method that can detect Rhodamine B compounds because Rhodamine B has chromophore and auxochrome groups so that Rhodamine B can fluoresce if observed under UV 254 nm and UV 366 nm. The standard solution is made by dissolving Rhodamine B powder in methanol as a position control and a solution is made by dripping 4 M HCl as much as 4 drops which serves to destroy the compound in the blush on sample and the Rhodamine B compound in the blush on sample so that it does not ionize into a neutral form (Yuniarto et al., 2019) which was then dissolved by methanol and filtered to separate the insoluble particles. Rhodamine B has the property of being very soluble in organic solvents such as methanol so that methanol is used to dissolve Rhodamine B because methanol is polar so it can dissolve organic substances as well as polar (Sari et al., 2022).




Figure 5. Chromophore and Auxochrome groups of Rhodamine B Compounds

— = Chromophore group
 — = Auxochrome group

Rhodamine B has auxochrome and chromophore groups which can be seen in Figure 5. Rhodamine B has chromophore groups that are able to absorb UV and visible light in organic compounds, namely carboxyl groups and aromatic compounds. Rhodamine B also has an auxochrome group, which is a group that has a free electron pair such as NR₂ (Fauziah et al., 2020). In this study, silica gel TLC plate type Gf254 was used, which means that the silica gel can fluoresce at UV 254 nm (Indrayani et al., 2017). silica gel contains silanol (Si-OH) and siloxane (Si-O-Si) groups on its surface where the silanol groups can interact with the analyte because it forms hydrogen interactions. The silanol group can interact with water so that the TLC plate (silica gel) can be deactivated, so it is necessary to heat it in the oven to dry the water molecules on the plate so that the TLC plate becomes active (Rosamih, 2019). On the surface of the silica gel can be reactivated and the silanol group can interact with the analyte (Ediningtyas, 2012)




Figure 6. Rhodamine B . Hydrogen Bond Interaction

..... = Hydrpgen interaction
 — = Siloxane group
 — = Silanol group

The interaction between silica gel and Rhodamine B compounds in Figure 6. will form hydrogen bonds in which Rhodamine B is polar and the silica gel is also polar which will cause strong adsorption so that the Rhodamine B analyte compound will be retained on the silica gel and the analyte on the silica gel will propagate longer (Ediningtyas, 2012). Rhodamine B is polar because its molecular structure has a carboxyl group with a lone pair of electrons so that the choice of eluent needs to be adjusted. Rhodamine B has a carboxyl and amine group that will form intermolecular hydrogen bonds with polar solvents so that Rhodamine B compounds are easily soluble and can produce good separation between Rhodamine B compounds and other compounds (Nafiq et al., 2020). In this study, the chamber that has been filled with the mobile phase needs to be saturated. The saturation function is to ensure that the particles from the mobile phase will be evenly distributed throughout the chamber so that the spots in the stationary phase will move optimally by the mobile phase, which means that the saturation is to optimize the rise of the eluent (Samosir et al., 2018). Optimization of the mobile phase was carried out to find a suitable mobile phase for the separation of Rhodamine B compounds contained in blush on cosmetic so as to obtain optimal separation, namely to produce round/elliptical and tailless spots (Elfasyari et al., 2020). The

sample is declared positive if it enters the sample stain parameter criteria that are parallel to the Rhodamine B standard which is visually bright pink if the distance between the Rf value of the stain between the standard and the sample is the same or close to each other with a price difference of 0.2 (Fauziah et al., 2020), fluoresces orange under UV light of 254 nm and 366 nm (Hiola et al., 2021) the Rf value enters the range of 0.2-0.8 (Elfasyari et al., 2020) and there is a good separation between the 2 stains if the value of Rs 1.5 (Harum, 2021).

CONCLUSION

Based on the results of the research on Rhodamine B content analysis by optimizing the Mobile Phase Using the Thin Layer Chromatography Method in Blush On Cosmetics sold on Marketplace X, it can be concluded that: Spots with positive results are visually round/elliptical and light pink in color according to the color of the standard Rhodamine B stain. Observations of spot under UV light of 254 nm and 366 nm fluoresce in yellow or orange. The optimal separation of Rhodamine compounds is the mobile phase mixture of n-Butanol: Ethanol 96%: Aquadest (20:12:15). 12 of blush samples studied, there were 7 samples containing Rhodamine B with an Rf value of 0.79 for sample A3; sample A4 0.77; sample A6 0.68; sample A7 0.76; sample A8 0.69; sample A11 0.68 and sample A12 Rf value of 0.69.

ACKNOWLEDGMENTS

The author would like to thank STIKes Mitra Keluarga Bekasi for the support during the author's research.

REFERENCES

- Andayani, R., Rahma, S. Y., & Martinus, M. 2019. Analisis Logam Kromium (Cr) Pada Sediaan Perona Pipi (Blush On) Secara Spektrofotometri Serapan Atom. *Jurnal Sains Farmasi & Klinis*, 5(3), 185. <https://doi.org/10.25077/jsfk.5.3.185-190.2018>
- Ediningtyas, Visensia Vica Dwi. 2012. *Optimasi metode Kromatografi Lapis Tipis (KLT)-Densitometri pada penetapan kadar Metil Salisilat dan Eugenol dalam sediaan krim "X"*. Skripsi. Program Studi Farmasi. Universitas Sanata Dharma. Yogyakarta
- Elfasyari, T. Y., Putri, M. A., & Andayani, R. 2020. Analisis Rhodamin B pada Lipstik Impor yang Beredar di Kota Batam secara Kromatografi Lapis Tipis dan Spektrofotometri UV-Vis. *Pharmacy: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 17(1), 54. <https://doi.org/10.30595/pharmacy.v17i1.5066>
- Fatimah, S., Astuti, D. W., & Lestari, S.D. 2016. Analisis Kualitatif Rhodamin B pada Kue Ku yang Beredar di Pasar Tradisional Kabupaten Sleman Yogyakarta. *Journal Of Health*, 3(1), 33-38.
- Harum, D. Fatikha. 2021. *Optimasi dan validasi metode kromatografi lapis tipis densitometri pada penetapan kadar senyawa apigenin dalam produk jamu merek "X"*. Skripsi. Program Studi Farmasi. Universitas Sanata Dharma. Yogyakarta
- Hiola, F., Sy Pakaya, M., & Akuba, J. 2022. Analisis Kadar Senyawa Rhodamin B Pada Sediaan Lipstik Menggunakan Metode Spektrofotometri UV-Vis. *Journal Syifa Sciences and Clinical Research*, 3(2), 98-105 <https://doi.org/10.37311/jsscr.v3i2.13598>
- Justina, N & Nandu, L.S.S., 2017. Identifikasi Rhodamin B pada Sediaan Lipstik yang Beredar di Pasar Jakarta Utara dengan Metode Kromatografi Lapis Tipis. *Indonesia Natural Research Pharmaceutical Journal*. 1(2):1-9
- Nafiq, U., Yuniarto, P. F., & Sulistyowati, Y. 2020. Analisis Kandungan Rhodamin B pada Eyeshadow yang Beredar di Daerah Kediri dan Nganjuk. *Jurnal Mahasiswa Kesehatan*, 1(2) 131-139.
- Ratnaningsih, L. Shinta. 2013. *Optimasi Komposisi Fase Gerak Pada Pemisahan Campuran Deksametason dan Deksklofreniramin Maleat Secara Kromatografi Lapis Tipis Densitometri*. Skripsi. Program Studi S1 Farmasi. Universitas Sanata Dharma. Yogyakarta.
- Riyanti, H. B., Sutiasningsih, S., & Sarsongo, A. W. 2018. Identifikasi Rhodamin B dalam Lipstik di Pasar Jakarta Timur dengan Metode KLT dan Spektrofotometri UV-VIS. *Bioeduscience*, 1(2), 68. <https://doi.org/10.29405/j.bes/68-73121338>
- Rubiyo, Dwiarto. 2017. *Metode Kromatografi Prinsip Dasar, Praktikum Dan Pendekatan Pembelajaran Kromatografi*. Sleman : CV BUDI

Proceeding 2nd International Allied Health Student Conference

- 2 Samosir, A. S., Bialangi, N., & Iyabu, H. 2018. Analisis Kandungan Rhodamin B pada Saos Tomat yang Beredar di Pasar Sentral Kota Gorontalo dengan Menggunakan Metode Kromatografi Lapis Tipis (KLT). *Jurnal Entropi*, 13(1),4.
- 5 Sari, S. P., Ikayanti, R., & Widayanti, E. 2022. Kromatografi Lapis Tipis (KLT): Pendekatan pola kromatogram untuk mengkonfirmasi Rhodamin B pada perona pipi. *JSSCR*. 4(2):494-500.
- Tjuana, R., Tampa'i, R., Palandi, Reky R., Paat, Vlagia I. 2021. Analisis Kandungan Rhodamin B Pada Saus Cilok ang Beredar Di Kota Tomohon. *Jurnal Biofarmasetikal Tropis*, 4(1), 58–65
- 2 Yuniarto, F. P., & Rosalina, M. N. 2019. Analisis Kandungan Rhodamin B Pada Lipstik Yang Beredar Di Daerah Kediri. *Jurnal Inovasi Farmasi Indonesia*, 1(1), 47–59.

analysis lipstick

ORIGINALITY REPORT

20%

SIMILARITY INDEX

16%

INTERNET SOURCES

12%

PUBLICATIONS

5%

STUDENT PAPERS

PRIMARY SOURCES

1	repository.usahid.ac.id Internet Source	3%
2	eprints.peradaban.ac.id Internet Source	2%
3	A Yugatama, T Hapsari. "Analysis of Rhodamine B Content in "Geplak" Marketed in Yogyakarta City in 2019", Journal of Physics: Conference Series, 2021 Publication	2%
4	www.cishefei.com Internet Source	1%
5	ejurnal.ung.ac.id Internet Source	1%
6	repo.poltekkes-medan.ac.id Internet Source	1%
7	repository.usd.ac.id Internet Source	1%
8	ejournal.uniks.ac.id Internet Source	1%

9	jmk.stikesmitrakeluarga.ac.id Internet Source	1 %
10	Yun-fei Wang, Hai-jun Wang, Xin-ming Zhao, Lei Tang, Jian-wu Pan. "热载荷下脆性固体中三维平行内裂纹的相互作用: 实验和数值模拟", Journal of Central South University, 2023 Publication	1 %
11	core.ac.uk Internet Source	1 %
12	repository.unair.ac.id Internet Source	1 %
13	Purabi Sarkar, Pankaj Kumar, Dinesh Kumar Vishwakarma, Alaknanda Ashok, Ahmed Elbeltagi, Sandeep Gupta, Alban Kuriqi. "Watershed prioritization using morphometric analysis by MCDM approaches", Ecological Informatics, 2022 Publication	1 %
14	dharmabakti.respati.ac.id Internet Source	1 %
15	repository.unhas.ac.id Internet Source	<1 %
16	repository.poltekkes-tjk.ac.id Internet Source	<1 %
17	e-journal.unair.ac.id Internet Source	<1 %

18

Huda Rohmawati, Meirna Eka Fitriasnani, Weni Tri Purnani, Rahma Kusuma Dewi. "Effect of Rhodamine b Against The Number of Primary Follicles in White Rats (*Rattus norvegicus*)", Journal of Physics: Conference Series, 2021

Publication

<1 %

19

vdocuments.mx

Internet Source

<1 %

20

Andi Tilka Muftiah Ridjal, Andi Yulia Kasma, Aminullah, Basri. "Study of Rhodamine B Dyes Content in Snacks of Karuwisi Traditional Market Makassar, South Sulawesi, Indonesia", IOP Conference Series: Earth and Environmental Science, 2022

Publication

<1 %

21

docserv.uni-duesseldorf.de

Internet Source

<1 %

22

Jolanta Kochana, Agnieszka Zakrzewska, Andrzej Parczewski, Jarosław Wilamowski. "TLC Screening Method for Identification of Active Components of "Ecstasy" Tablets. Influence of Diluents and Adulterants", Journal of Liquid Chromatography & Related Technologies, 2007

Publication

<1 %

23

journal-jps.com

Internet Source

<1 %

24

jurnaltarbiyah.uinsu.ac.id

Internet Source

<1 %

25

ojs.unik-kediri.ac.id

Internet Source

<1 %

26

Yuniartha Dwi Suputri, Agus Dwi Ananto, Yayuk Andayani. "Analisis Kualitatif Kandungan Fenolik dalam Fraksi Etil Asetat dan Fraksi Metanol dari Ekstrak Kulit Jagung (Zea mays L.)", Lumbung Farmasi: Jurnal Ilmu Kefarmasian, 2021

Publication

<1 %

27

repository.uhamka.ac.id

Internet Source

<1 %

28

Submitted to uci

Student Paper

<1 %

29

jsfk.ffarmasi.unand.ac.id

Internet Source

<1 %

30

d-nb.info

Internet Source

<1 %

31

patents.google.com

Internet Source

<1 %

32

ir.library.oregonstate.edu

Internet Source

<1 %

33	Firdus, Muhammadar, Samadi, M Ali S, S Mellisa, Boihaqi, A Intan, M Nasir. "The effect of feeding with the addition of activated charcoal on feed conversion and survival of Juvenile Giant Trevally (Caranxignobilis)", IOP Conference Series: Earth and Environmental Science, 2020 Publication	<1 %
----	--	------

34	abdiinsani.unram.ac.id Internet Source	<1 %
----	---	------

35	ajprd.com Internet Source	<1 %
----	---	------

36	journal.gunabangsa.ac.id Internet Source	<1 %
----	---	------

37	qualifygate.com Internet Source	<1 %
----	---	------

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off